

<b>Multiple-choice exam: GRA 60352 Mathematics</b>			
Examination date:	27.04.2015	09:00 – 10:00	Total no. of pages: 5 incl. attachments No. of attachments: 1 (1 page)
Permitted examination support material:	A bilingual dictionary and BI-approved calculator TEXAS INSTRUMENTS BA II Plus		
Answer sheets:	Answer sheet for multiple-choice examinations Counts 20% of GRA 6035 The questions have equal weight		
Re-take exam	Responsible department: Economics		

---

**PLEASE READ THE FOLLOWING BEFORE YOU BEGIN!**

- Students must themselves assure that the examination papers are complete.
- Students must provide the following information on the answer sheet:
  - Examination code
  - Personal initials
  - ID-nr

The ID-nr must be recorded with both the appropriate numbers and by putting an “X” by the corresponding number in the columns below.

- Do not use pencils or pens with green ink when filling in answer sheets. Answer sheets must not be used for rough drafts.
- **All answers must be recorded with an “X” under the letter you believe corresponds with the correct answer.**
- **Cancel an “X” by filling in the box completely (boxes that are completely filled in will not be registered). “X” in two boxes for one question will be registered as a wrong answer.**
- The attached example shows you how the answer sheet would be filled in if A were the correct answer for question 1, B correct for question 2, C correct for question 3 and D correct for question 4. An “X” under E indicates that you choose not to answer question 5.
- **Your answers are to be recorded on the answer sheet. Answers written on the examination papers and not on the answer sheets will not be graded.**
- There is only one right answer for each question. Because the questions are weighted equally, it can be to your advantage to answer the easiest questions first.
- Wrong answers are given -1 point, unanswered questions get 0 points (indicated by an “X” next to E”) and correct answers are given 3 points.
- You can keep the examination papers.

## This exam has 8 questions

### QUESTION 1.

Consider a linear system  $A \cdot \mathbf{x} = \mathbf{b}$ , where  $A$  is a  $3 \times 3$  matrix with  $\text{rk } A = 3$  and  $\mathbf{b}$  is a vector. **Which statement is true?**

- (a) The linear system has a unique solution
- (b) The linear system is inconsistent
- (c) The linear system has one degree of freedom
- (d) The number of solutions depends on the vector  $\mathbf{b}$
- (e) I prefer not to answer.

### QUESTION 2.

Consider the vectors  $\mathbf{v}_1, \mathbf{v}_2, \mathbf{v}_3$ , given by

$$\mathbf{v}_1 = \begin{pmatrix} 1 \\ 1 \\ 1 \end{pmatrix}, \quad \mathbf{v}_2 = \begin{pmatrix} 1 \\ 2 \\ a \end{pmatrix}, \quad \mathbf{v}_3 = \begin{pmatrix} 2 \\ a-1 \\ 5 \end{pmatrix}$$

**Which statement is true?**

- (a) The vectors  $\{\mathbf{v}_1, \mathbf{v}_2, \mathbf{v}_3\}$  are linearly independent for all  $a$
- (b) The vectors  $\{\mathbf{v}_1, \mathbf{v}_2, \mathbf{v}_3\}$  are linearly independent exactly when  $a = 0$  or  $a = 4$
- (c) The vectors  $\{\mathbf{v}_1, \mathbf{v}_2, \mathbf{v}_3\}$  are linearly independent exactly when  $a \neq 0$  and  $a \neq 4$
- (d) The vectors  $\{\mathbf{v}_1, \mathbf{v}_2, \mathbf{v}_3\}$  are linearly independent exactly when  $a \neq 3$
- (e) I prefer not to answer.

### QUESTION 3.

Compute the rank of the matrix

$$A = \begin{pmatrix} h & 4 & 7 & 1 \\ 3 & 1 & 0 & 4 \\ 2 & 4 & 7 & 1 \end{pmatrix}$$

**Which statement is true?**

- (a)  $\text{rk } A = 2$  for all  $h$
- (b)  $\text{rk } A = 3$  for  $h \neq 2$  and  $\text{rk } A = 2$  for  $h = 2$
- (c)  $\text{rk } A = 3$  for  $h \neq 2$  and  $\text{rk } A = 1$  for  $h = 2$
- (d)  $\text{rk } A = 3$  for all  $h$
- (e) I prefer not to answer.

QUESTION 4.

Consider the matrix

$$A = \begin{pmatrix} 1 & 0 & -3 \\ 0 & -1 & 0 \\ 4 & 0 & -6 \end{pmatrix}$$

**Which statement is true?**

- (a)  $A$  has three positive eigenvalues
- (b)  $A$  has two positive and one negative eigenvalue
- (c)  $A$  has one positive and two negative eigenvalues
- (d)  $A$  has three negative eigenvalues
- (e) I prefer not to answer.

QUESTION 5.

Consider the matrix  $A$  given by

$$A = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ s & 0 & s \end{pmatrix}$$

**Which statement is true?**

- (a)  $A$  is diagonalizable for all  $s$
- (b)  $A$  is diagonalizable exactly when  $s = 1$
- (c)  $A$  is diagonalizable exactly when  $s \neq 1$
- (d)  $A$  is not diagonalizable for any  $s$
- (e) I prefer not to answer.

QUESTION 6.

Consider the quadratic form

$$f(x_1, x_2, x_3, x_4) = -x_1^2 + 4x_1x_2 + 3x_1x_3 - 5x_2^2 - 6x_3^2 - x_4^2$$

**Which statement is true?**

- (a)  $f$  is positive semidefinite but not positive definite
- (b)  $f$  is positive definite
- (c)  $f$  is indefinite
- (d)  $f$  is negative definite
- (e) I prefer not to answer.

QUESTION 7.

Consider the function  $f(x, y) = x^4 + 4xy + y^4$ . **Which statement is true?**

- (a)  $f$  has local maximum points
- (b)  $f$  has local minimum points
- (c)  $f$  has stationary points, but all are saddle points
- (d)  $f$  has no stationary points
- (e) I prefer not to answer.

QUESTION 8.

Consider the function  $f$  given by

$$f(x, y, z) = x^4 + hxy + y^4 + z^4 + z^2$$

**Which statement is true?**

- (a)  $f$  is a convex function for all  $h$
- (b)  $f$  is a convex function for  $h \geq 0$ , and concave for  $h < 0$
- (c)  $f$  is a convex function for  $h \leq 0$ , and concave for  $h > 0$
- (d)  $f$  is a convex function for  $h = 0$ , and neither concave nor convex for  $h \neq 0$
- (e) I prefer not to answer.