EBA2911 Mathematics for Business Analytics autumn 2020

Exercises

... if I couldn't formulate a problem in economic theory mathematically, I didn't know what I was doing.

R. Lucas

Lecture 5 on Wednesday 9 Sept. 10-11.45 in B2-060

Sec. 3.1-3, 4.7

Linear and quadratic equations. Equations with parametres. Polynomial equations.

Here are recommended exercises from the textbook [SHSC].

Section 3.1 exercise 1-5

Section 3.2 exercise 2a-c, e, 4a, 5a, c

Section 3.3 exercise 1, 2, 6

Repetition (I have translated them, see It's Learning under «Resources»)

Multiple choice exam 2017a, problem 1-4

Multiple choice exam 2018s, problem 1, 2 and 4

Problems for the exercise session Wednesday 9 Sept. at 12-15 in CU1-067 or on Zoom

Problem 1 Solve the linear equations for x.

a)
$$3x - 5 = 0$$

b)
$$ax + b = 0$$

c)
$$cx + 50 - c = 0 \ (c \neq 0)$$

d)
$$-4x + 9 = 3 - 0.25x$$
 e) $ax + b = cx + d$

e)
$$ax + b = cx + d$$

f)
$$\frac{x}{4} + 11 - k = 3 - \frac{x}{3}$$

g)
$$22-4x+9-2(x+7)=14-5(x+2)+x-23$$

h)
$$k-bx-d(3-5x)+11=c$$

i)
$$\frac{4}{x-2} = \frac{3}{2x+1}$$
 j) $\frac{5-x}{x-a} = 7$

j)
$$\frac{5-x}{x-a} = 7$$

k)
$$\frac{6}{3x+6} = \frac{14}{2x+4}$$

1)
$$5-7x = 4x + 29 - 11x$$
 m) $3(x+1) = 3x + 3$

$$m)3(x+1) = 3x + 3$$

Problem 2 Solve the quadratic equations.

a)
$$x^2 = 0$$

b)
$$x^2 = 1$$

c)
$$x^2 = -1$$

a)
$$x^2 = 0$$
 b) $x^2 = 1$ c) $x^2 = -1$ d) $(x-3)^2 = 0$

e)
$$(x+3)^2 = 1$$

f)
$$(x+3)^2 = -1$$

e)
$$(x+3)^2 = 1$$
 f) $(x+3)^2 = -1$ g) $x^2 - 6x + 9 = 0$ h) $x^2 - 6x + 9 = 1$

h)
$$x^2 - 6x + 9 = 1$$

i)
$$x^2 - 6x + 9 = -1$$
 j) $(3x - 1)^2 = 0$ k) $(3x - 1)^2 = 9$ l) $(3x - 1)^2 = -9$

i)
$$(3x-1)^2=0$$

k)
$$(3x-1)^2 = 9$$

1)
$$(3x-1)^2 = -9$$

$$m)9x^2-6x+1=0$$

n)
$$9x^2 - 6x + 1 = 9$$

o)
$$9x^2 - 6x + 1 = -9$$

m)
$$9x^2 - 6x + 1 = 0$$
 n) $9x^2 - 6x + 1 = 9$ o) $9x^2 - 6x + 1 = -9$ p) $(x - 2)(x + 3) = 0$

q)
$$(3x+5)(2x-1)=0$$

r)
$$(x-2)(x+3) = -6$$
 s) $x^2 - 5x - 2 = 0$

s)
$$x^2 - 5x - 2 = 0$$

t)
$$2x^2 + 4x = 70$$

t)
$$2x^2 + 4x = 70$$
 u) $x(x-8) = 90 - x^2$

Problem 3 Determine the quadratic equation $x^2 + bx + c = 0$ with the given solutions.

a)
$$x = 1, x = -1$$

b)
$$x = 3, x = -2$$

c)
$$x = -3, x = -8$$

d)
$$x = 17, x = -3$$

e)
$$x = 3 \pm \sqrt{5}$$

f)
$$x = -11$$

Problem 4 Solve the quadratic equations by *completing the square*.

a)
$$x^2 - 8x = -12$$

b)
$$x^2 + 10x = -9$$

c)
$$x^2 - 5x - 14 = 0$$

d)
$$x^2 - 3x = 4$$

e)
$$x^2 - 24x = 25$$

f)
$$x^2 + 5x = 6$$

Problem 5

- a) Determine *k* such that the equation $x^2 10x = k$ has exactly one solution.
- b) Determine *k* such that the equation $x^2 kx = -9$ has exactly one solution.
- c) Determine *k* such that the equation $\frac{1}{k}x^2 14x = 12$ has exactly one solution.

Problem 6 Write the quadratic expression as a product of two linear (grade 1) polynomials.

a)
$$x^2 - 8x + 12$$

b)
$$x^2 + 10x + 9$$

c)
$$x^2 - 18x + 81$$

d)
$$2x^2 - 4x - 70$$

e)
$$3x^2 + 24x - 99$$

f)
$$5x^2 + 60x + 180$$

Problem 7

- a) Use one parameter to write an expression for all polynomials on the form $x^2 + bx + c$ which have two zeros of distance 1 from each other.
- b) Use one parameter to write an expression for all third degree polynomials on the form $x^3 + ax^2 + bx + c$ which have three zeros with the middle one of distance 5 to each of the other
- c) Use two parameters to write up all quadratic polynomials with exactly one zero.

Problem 8 Solve the equations for x.

a)
$$(2x - \sqrt{3})(x^2 - 20x + 99) = 0$$

b)
$$(x^2-5)(x^2-6x+4)=0$$

c)
$$(2x^2-28x+98)(x^2-6x+10)(x^2-2x-6)=0$$

d)
$$(x+1)(x+2)(x+3)(x+a)(x^2+b) = 0$$

Problem 9 Solve the equations.

a)
$$x^4 - 11x^2 + 18 = 0$$

b)
$$x^6 + 13x^3 + 40 = 0$$

c)
$$x^{100} - x^{50} - 12 = 0$$

Problem 10 Solve the equations.

a)
$$1 + x + x^2 + x^3 + \dots + x^{98} + x^{99} = 0$$

b)
$$1 + x + x^2 + x^3 + \dots + x^{49} + x^{50} = 0$$

a)
$$1 + x + x^2 + x^3 + \dots + x^{29} + x^{29} = 0$$

b) $1 + x + x^2 + x^3 + \dots + x^{49} + x^{50} = 0$
c) $\frac{x}{1.02} + \frac{x^2}{1.02^2} + \frac{x^3}{1.02^3} + \frac{x^{29}}{1.02^{29}} + \frac{x^{30}}{1.02^{30}} = 0$

Answers

Problem 1

a) $x = \frac{5}{2}$

b) $x = -\frac{b}{a}$

c) $x = \frac{c-50}{c} = 1 - \frac{50}{c}$ d) $x = \frac{8}{5}$

e) $x = \frac{d-b}{a-c}$ if $a \neq c$. For a = c and $b \neq d$ there is no solution, for a = c and b = d all numbers are solutions.

f) $x = \frac{12k-96}{7}$

g) x = 18

h) $x = \frac{c+3d-k-11}{5d-b}$ if $b \neq 5d$. If b = 5d and $c+3d \neq k+11$ there are no solutions, if b = 5d and c+3d = k+11 all numbers are solutions.

i) x = -2

j) $x = \frac{7a+5}{9}$

k) no solutions

l) no solutions

m) all numbers are solutions

Problem 2

a) x = 0

b) x = 1, x = -1

c) no solutions

d) x = 3

e) either x + 3 = 1, i.e. x = -2, or x + 3 = -1, i.e. x = -4

f) no solutions

g) x = 3

h) x = 2, x = 4

i) no solutions

j) $x = \frac{1}{3}$

k) $x = \frac{1}{3} \pm 1$, i.e. $x = \frac{4}{3}$, $x = -\frac{2}{3}$

l) no solutions

m) $x = \frac{1}{2}$

n) $x = \frac{4}{3}$, $x = -\frac{2}{3}$ o) no solutions

p) x = 2, x = -3 q) $x = -\frac{5}{3}, x = \frac{1}{2}$ r) x = 0, x = -1 s) $x = \frac{5}{2} \pm \frac{\sqrt{33}}{2}$

t) x = -7, x = 5 u) x = -5, x = 9

Problem 3

a)
$$(x-1)(x-(-1)) = x^2-1$$
 b) x^2-x-6

b)
$$v^2$$
 $v = 6$

c)
$$x^2 + 11x + 24$$

d)
$$x^2 - 14x - 51$$

e)
$$x^2 - 6x + 4$$

f)
$$x^2 + 22x + 121$$

Problem 4

a)
$$(x-4)^2 = -12 + 16$$
 give $x = 2, x = 6$

b)
$$(x+5)^2 = -9 + 25$$
 gives $x = -9, x = -1$

a)
$$(x-4)^2 = -12 + 16$$
 gives b) $(x+5)^2 = -9 + 25$ gives c) $(x-\frac{5}{2})^2 = 14 + \frac{25}{4}$ gives $x=2, x=6$ $x=-9, x=-1$ $x=-2, x=7$

d)
$$(x - \frac{3}{2})^2 = 4 + \frac{9}{4}$$
 gives $x = -1$, $x = 4$

e)
$$(x-12)^2 = 25 + 12^2$$
 give $x = -1, x = 25$

d)
$$(x - \frac{3}{2})^2 = 4 + \frac{9}{4}$$
 gives e) $(x - 12)^2 = 25 + 12^2$ gives f) $(x - \frac{5}{2})^2 = 6 + \frac{25}{4}$ gives $x = -1, x = 4$ $x = -1, x = 25$ $x = -6, x = 1$

Problem 5

a)
$$k = -25$$

b)
$$k = \pm 6$$

c)
$$k = -\frac{12}{49}$$

Problem 6

a)
$$(x-2)(x-6)$$

b)
$$(x+9)(x+1)$$

c)
$$(x-9)^2$$

d)
$$2(x+5)(x-7)$$

e)
$$3(x+11)(x-3)$$

f)
$$5(x+6)^2$$

Problem 7

- a) If r is the smallest zero, the polynomial is $x^2 (2r + 1)x + r(r + 1)$.
- b) If r is the second smallest zero, the polynomial is $(x-r)^3 - 25(x-r) = x^3 - 3rx^2 + (3r^2 - 25)x - (r-5)r(r+5).$ c) $a(x-r)^2 = ax^2 - 2arx + ar^2$ ($a \ne 0$).

Problem 8

- a) $x = \frac{\sqrt{3}}{2}$, x = 9, x = 11b) $x = \pm \sqrt{5}$, $x = 3 \pm \sqrt{5}$
- c) $x = 7, x = 1 \pm \sqrt{7}$
- d) x = -1, x = -2, x = -3, x = -a, $x = \pm \sqrt{-b}$ for $b \le 0$

Problem 9

- a) $x = \pm \sqrt{2}$, $x = \pm 3$ (Hint: Substitute $u = x^2$)
- b) $x = -2, x = -\sqrt[3]{5}$
- c) $x = \pm \sqrt[25]{2}$

Problem 10

- a) x = -1
- b) no solutions
- c) x = 0, x = -1.02